Saxon, D., see Webb, M.S. (1372) 272
Scharrer, E., see Lutz, T.A. (1372) 359
Schmidt, R.R., see Vogel, J. (1372) 205
Schwarz, W., see Eckstein-Ludwig, U. (1372) 289
Scott, J., see Ruckwardt, T. (1372) 283
Scott, A., see Ruckwardt, T. (1372) 283
Seelig, J., see Wenk, M.R. (1372) 227
Slepushkin, V.A., see Konopka, K. (1372) 55
Slotte, J.P., see Ohvo-Rekilä, H. (1372) 331
Song, Y.K. and Liu, D.
Free liposomes enhance the transfection activity of DNA/lipid complexes in vivo by intravenous administration (1372) 141
Squier, C.A., see Kuempel, D. (1372) 135
Subramaniam, R., see Gabbita, S.P. (1372) 163
Sutter, D., see Lutz, T.A. (1372) 359
Swartzendruber, D.C., see Kuempel, D. (1372) 135
Swiderski, P., see Konopka, K. (1372) 55

Tang, D., Borchman, D., Harris, N. and Pierangeli, S.
Lipid interactions with human antiphospholipid antibody, β2-glycoprotein 1, and normal human IgG using the fluorescent probes NBD-PE and DPH (1372) 45
Tosco, M., Orsenigo, M.N., Gastaldi, G. and Faelli, A.
pH dependence of Cl/HCO_3 exchanger in the rat jejunal enterocyte (1372) 323

Vandekerckhove, J., see Decout, A. (1372) 102
Vandenbranden, M., see Pector, V. (1372) 339
Vanderlick, T.K., see McConlogue, C.W. (1372) 124
Vasilets, L.A., see Eckstein-Ludwig, U. (1372) 289
Veske, A., Nilsson, S.E.G. and Gal, A.
Organization of the canine gene encoding the E isoform of retinal guanylate cyclase (cGC-E) and exclusion of its involvement in the inherited retinal dystrophy of the Swedish Briard and Briard–Beagle dogs (1372) 69
Vogel, J., Bendas, G., Bakowsky, U., Hummel, G., Schmidt, R.R., Kettmann, U. and Rothe, U.
The role of glycolipids in mediating cell adhesion: a flow chamber study (1372) 205
Volk, C., Albert, T. and Kempski, O.S.
A proton-translocating H^+-ATPase is involved in C6 Glial pH regulation (1372) 28
Volkert, M., see Lutz, T.A. (1372) 359

Wang, Z., see Webb, M.S. (1372) 272
Webb, M.S., Saxon, D., Wong, F.M.P., Lim, H.J., Wang, Z., Bally, M.B., Choi, L.S.L., Cullis, P.R. and Mayer, L.D.
Comparison of different hydrophobic anchors conjugated to poly(ethylene glycol): effects on the pharmacokinetics of liposomal vincristine (1372) 272
Wenk, M.R. and Seelig, J.
Proton induced vesicle fusion and the isothermal $L_\alpha \rightarrow H_{II}$ phase transition of lipid bilayers: a ^{31}P-NMR and titration calorimetry study (1372) 227
Wertz, P.W., see Kuempel, D. (1372) 135
Whitford, G.M., see He, H. (1372) 244
Wild, S., see Lutz, T.A. (1372) 359
Wong, F.M.P., see Webb, M.S. (1372) 272
Wróblewski, H., see Béven, L. (1372) 78

Xiao, Z.-L., see El Battari, A. (1372) 174

Yeo, G.F. and Madsen, B.W.
Modulatory drug action in an allosteric Markov model of ion channel behavior: biphasic effects with access-limited binding to either a stimulatory or an inhibitory site (1372) 37

Zerfaoui, M., see El Battari, A. (1372) 174
Zuidam, N.J. and Barenholz, Y.
Erratum to "Electrostatic parameters of cationic liposomes commonly used for gene delivery as determined by 4-heptadecyl-7-hydroxycoumarin" [Biochim. Biophys. Acta 1329 (1997) 211–222] (1372) 151

ELSEVIER

Biomembranes

Vol. 1372, 1998

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Cumulative Contents

Information for Contributors *vii*

Regular papers

Voltage-dependent calcium influx in human sperm assessed by simultaneous optical detection of intracellular calcium and membrane potential
L. Linares-Hernández, A.M. Guzmán-Grenfell, J.J. Hicks-Gomez and M.T. González-Martínez (México) 1

Triggerable liposomal fusion by enzyme cleavage of a novel peptide–lipid conjugate
C.C. Pak, S. Ali, A.S. Janoff and P. Meers (USA) 13

A proton-translocating H^+-ATPase is involved in C6 Glial pH regulation
C. Volk, T. Albert and O.S. Kempski (Germany) 28

Modulatory drug action in an allosteric Markov model of ion channel behaviour: biphasic effects with access-limited binding to either a stimulatory or an inhibitory site
G.F. Yeo and B.W. Madsen (Australia) 37

Lipid interactions with human antiphospholipid antibody, β2-glycoprotein 1, and normal human IgG using the fluorescent probes NBD-PE and DPH
D. Tang, D. Borchman, N. Harris and S. Pierangeli (USA) 45

Delivery of an anti-HIV-1 ribozyme into HIV-infected cells via cationic liposomes
K. Konopka, J.J. Rossi, P. Swiderski, V.A. Slepushkin and N. Düzgünes (USA) 55

Organization of the canine gene encoding the E isoform of retinal guanylate cyclase (cGC-E) and exclusion of its involvement in the inherited retinal dystrophy of the Swedish Briard and Briard–Beagle dogs
A. Veske, S.E.G. Nilsson and A. Gal (Germany, Sweden) 69

Membrane permeabilisation and antimycoplasmic activity of the 18-residue peptaibols, trichorzins PA
L. Béven, D. Duval, S. Rebuffat, F.G. Riddell, B. Bodo and H. Wróblewski (France, UK) 78

Evidence for a role of the multidrug resistance protein (MRP) in the outward translocation of NBD-phospholipids in the erythrocyte membrane
D. Kamp and C.W.M. Haest (Germany) 91

Enhanced efficiency of a targeted fusogenic peptide
A. Decout, C. Labeur, M. Goethals, R. Brasseur, J. Vandekerckhove and M. Rosseneu (Belgium) 102

Differential activation of system A and betaine/GABA transport in MDCK cell membranes by hypertonic stress
S.A. Kempson (USA) 117

Interaction of DPPC monolayers with soluble surfactants: electrostatic effects of membrane perturbants
C.W. McConlogue, D. Malamud and T.K. Vanderlick (USA) 124

In vitro reconstitution of stratum corneum lipid lamellae
D. Kuempel, D.C. Swartzendruber, C.A. Squier and P.W. Wertz (USA) 135

Free liposomes enhance the transfection activity of DNA/lipid complexes in vivo by intravenous administration
Y.K. Song and D. Liu (USA) 141

Erratum

Erratum to "Electrostatic parameters of cationic liposomes commonly used for gene delivery as determined by 4-heptadecyl-7-hydroxycoumarin" [Biochim. Biophys. Acta 1329 (1997) 211–222]
N.J. Zuidam and Y. Barenholz (Israel) 151

Information for Contributors *vii*

Regular papers

Membrane-bound and soluble polyphosphatases of mitochondria of *Saccharomyces cerevisiae*: identification and comparative characterization
L. Lichko, T. Kulakovskaya and I. Kulaev (Russia) 153

Effects of mitochondrial respiratory stimulation on membrane lipids and proteins: an electron paramagnetic resonance investigation
S.P. Gabbita, R. Subramaniam, F. Allouch, J.M. Carney and D.A. Butterfield (USA) 163

Functional reconstitution of membrane glycoproteins into lipid vesicles using lectin precipitation. Application to the VIP receptor
A. El Battari, M. Zerfaoui, J. Luis, Z.-L. Xiao, A. Kadi, C. Bellan, D. Lombardo and J. Marvaldi (France) 174

Differential regulation of Na^+ and Cl^- conductances by PTX-sensitive G proteins in fetal lung apical membrane vesicles
L. Gambling, R.E. Olver, G.K. Fyfe, P.J. Kemp and D.L. Baines (UK, USA) 187

Red blood cell shape as a function of medium's ionic strength and pH
M. Rasia and A. Bollini (Argentina) 198

The role of glycolipids in mediating cell adhesion: a flow chamber study
J. Vogel, G. Bendas, U. Bakowsky, G. Hummel, R.R. Schmidt, U. Kettmann and U. Rothe (Germany) 205

Modulation of plant plasma membrane H^+-ATPase by phytotoxic lipodepsipeptides produced by the plant pathogen *Pseudomonas fuscovaginae*
H. Batoko, A. de Kerchove d'Exaerde, J.-M. Kinet, J. Bouharmont, R.A. Gage, H. Maraite and M. Boutry (Belgium, The Netherlands) 216

Proton induced vesicle fusion and the isothermal $L_\alpha \rightarrow H_{II}$ phase transition of lipid bilayers: a ^{31}P-NMR and titration calorimetry study
M.R. Wenk and J. Seelig (Switzerland) 227

Phospholipid free thin liquid films with grafted poly-(ethylene glycol)-2000: formation, interaction forces and phase states
A.N. Nikolova and M.N. Jones (Bulgaria, UK) 237

pH-dependent fluoride transport in intestinal brush border membrane vesicles
H. He, V. Ganapathy, C.M. Isales and G.M. Whitford (USA) 244

$G_{s\alpha}$-mediated regulation of the carnitine carrier in S49 lymphoma cells
B. Gustafson and L.A. Ransnäs (Sweden) 255

Regulation and pH-dependent expression of a bilaterally truncated yeast plasma membrane H^+-ATPase
A.B. Mason, T.B. Kardos and B.C. Monk (New Zealand) 261

Comparison of different hydrophobic anchors conjugated to poly(ethylene glycol): effects on the pharmacokinetics of liposomal vincristine
M.S. Webb, D. Saxon, F.M.P. Wong, H.J. Lim, Z. Wang, M.B. Bally, L.S.L. Choi, P.R. Cullis and L.D. Mayer (Canada) 272

Lipid and stress dependence of amphotericin B ion selective channels in sterol-free membranes
T. Ruckwardt, A. Scott, J. Scott, P. Mikulecky and S.C. Hartsel (USA) 283

Voltage-dependent inhibition of the Na^+,K^+ pump by tetraethylammonium
U. Eckstein-Ludwig, J. Rettinger, L.A. Vasilets and W. Schwarz (Germany, Russia) 289

pH-sensitive liposomes as a carrier for oligonucleotides: a physico-chemical study of the interaction between DOPE and a 15-mer oligonucleotide in quasi-anhydrous samples
M.C. De Oliveira, E. Fattal, P. Couvreur, P. Lesieur, C. Bourgaux, M. Ollivon and C. Dubernet (Brazil, France) 301

Effect of cysteine replacements on the properties of the turgor sensor KdpD of *Escherichia coli*
K. Jung, R. Heermann, M. Meyer and K. Altendorf (Germany) 311

pH dependence of Cl/HCO_3 exchanger in the rat jejunal enterocyte
M. Tosco, M.N. Orsenigo, G. Gastaldi and A. Faelli (Italy) 323

The influence of hydrophobic mismatch on androsterol/phosphatidylcholine interactions in model membranes
H. Ohvo-Rekilä, P. Mattjus and J.P. Slotte (Finland) 331

Physico-chemical characterization of a double long-chain cationic amphiphile (Vectamidine) by microelectrophoresis
V. Pector, J. Caspers, S. Banerjee, L. Deriemaeker, R. Fuks, A. El Ouahabi, M. Vandenbranden, R. Finsy and J.-M. Ruysschaert (Belgium) 339

Thermotropic behavior of galactosylceramides with *cis*-monoenoic fatty acyl chains
V.S. Kulkarni and R.E. Brown (USA) 347

Hyperpolarization of the cell membrane of mouse hepatocytes by lactate, pyruvate, and fructose is due to Ca^{2+}-dependent activation of K^+ channels and of the Na^+/K^+-ATPase
T.A. Lutz, S. Wild, S. Boutellier, D. Sutter, M. Volkert and E. Scharrer (Switzerland) 359